


PENDING CLAIMS
 Application No. 09/733,900
 Attorney Docket No. 05725.0595
 Filed: December 12, 2000

1. - 320. (Canceled)

321. (Previously presented) A mascara, an eyeliner, a foundation, a lipstick, a blusher, a make-up-removing product, a make-up product for the body, an eyeshadow, a face powder, a concealer product, a nail composition, a shampoo, a conditioner, an anti-sun product or a care product for the skin, lips, or hair comprising a composition comprising at least one liquid fatty phase in said mascara, eyeliner, foundation, blusher, lipstick, make-up-removing product, make-up product for the body, eyeshadow, face powder, concealer product, nail composition, shampoo, conditioner, antisun product or care product for the skin, lips, or hair which comprises:

(i) at least one structuring polymer chosen from polyamide polymers of formula (I):



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R¹, which are identical or different, are each chosen from alkyl groups having at least 4 carbon atoms and alkenyl groups having at least 4 carbon atoms;

- R^2 , which are identical or different, are each chosen from C_4 to C_{42}

hydrocarbon-based groups with the proviso that at least 50% of R^2 are chosen from C_{30} to C_{42} hydrocarbon-based groups;

- R^3 , which are identical or different, are each chosen from C_2 to C_{36}

hydrocarbon-based groups; and

- R^4 , which are identical or different, are each chosen from hydrogen and C_1 to C_{10} alkyl groups, with the proviso that at least 50% of all R^4 are chosen from hydrogen; and

(ii) at least one oil-soluble cationic surfactant.

322. (Original) The composition according to claim 321, wherein said composition is a solid.

323. (Canceled)


324. (Canceled)

325. (Previously presented) A make-up and/or care and/or treatment composition for keratinous fibers comprising:

at least one liquid fatty phase in said composition which comprises:

(i) at least one structuring polymer chosen from polyamide polymers of formula

(I):



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R^1 , which are identical or different, are each chosen from alkyl groups having at least 4 carbon atoms and alkenyl groups having at least 4 carbon atoms;

- R^2 , which are identical or different, are each chosen from C_4 to C_{42} hydrocarbon-based groups with the proviso that at least 50% of R^2 are chosen from C_{30} to C_{42} hydrocarbon-based groups;

- R^3 , which are identical or different, are each chosen from C_2 to C_{36} hydrocarbon-based groups; and


- R^4 , which are identical or different, are each chosen from hydrogen and C_1 to C_{10} alkyl groups, with the proviso that at least 50% of all R^4 are chosen from hydrogen; and

(ii) at least one oil-soluble cationic surfactant.

326. - 329. (Canceled)

330. (Previously presented) A treatment, care or make-up composition for keratinous fibers comprising a structured composition containing

(i) at least one liquid fatty phase structured with at least one structuring polymer chosen from polyamide polymers of formula (I):



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;
- R¹, which are identical or different, are each chosen from alkyl groups having at least 4 carbon atoms and alkenyl groups having at least 4 carbon atoms;
- R², which are identical or different, are each chosen from C₄ to C₄₂ hydrocarbon-based groups with the proviso that at least 50% of R² are chosen from C₃₀ to C₄₂ hydrocarbon-based groups;
- R³, which are identical or different, are each chosen from C₂ to C₃₆ hydrocarbon-based groups; and
- R⁴, which are identical or different, are each chosen from hydrogen and C₁ to C₁₀ alkyl groups, with the proviso that at least 50% of all R⁴ are chosen from hydrogen,

(ii) at least one oil-soluble cationic surfactant, and

(iii) at least one coloring agent.


331. - 333. (Canceled)

334. (Previously presented) A method for care, make up, or treatment of a keratin material chosen from lips, skin, and keratinous fibers, comprising applying to said keratin material of a cosmetic composition comprising:

at least one liquid fatty phase which comprises:

(i) at least one structuring polymer chosen from polyamide polymers of formula

(I):



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R^1 , which are identical or different, are each chosen from alkyl groups having at least 4 carbon atoms and alkenyl groups having at least 4 carbon atoms;

- R^2 , which are identical or different, are each chosen from C_4 to C_{42} hydrocarbon-based groups with the proviso that at least 50% of R^2 are chosen from C_{30} to C_{42} hydrocarbon-based groups;

- R^3 , which are identical or different, are each chosen from C_2 to C_{36} hydrocarbon-based groups; and

- R⁴, which are identical or different, are each chosen from hydrogen and C₁ to C₁₀ alkyl groups, with the proviso that at least 50% of all R⁴ are chosen from hydrogen; and


(ii) at least one oil-soluble cationic surfactant.

335. (Previously presented) A method for making a cosmetic composition in the form of a physiologically acceptable composition comprising including in said composition

at least one liquid fatty phase which comprises:

(i) at least one structuring polymer chosen from polyamide polymers of formula

(I):



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R¹, which are identical or different, are each chosen from alkyl groups having at least 4 carbon atoms and alkenyl groups having at least 4 carbon atoms;

- R^2 , which are identical or different, are each chosen from C_4 to C_{42}

hydrocarbon-based groups with the proviso that at least 50% of R^2 are chosen from C_{30} to C_{42} hydrocarbon-based groups;

- R^3 , which are identical or different, are each chosen from C_2 to C_{36}

hydrocarbon-based groups; and

- R^4 , which are identical or different, are each chosen from hydrogen and C_1 to

C_{10} alkyl groups, with the proviso that at least 50% of all R^4 are chosen from hydrogen; and


(ii) at least one oil-soluble cationic surfactant.

336. (Canceled)

337. (Original) A method for providing at least one of resistance to shear and stability to a cosmetic composition, comprising including in said cosmetic composition a cosmetic composition at least one liquid fatty phase which comprises:

(i) at least one structuring polymer chosen from polyamide polymers of formula

(I):



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from

10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R^1 , which are identical or different, are each chosen from alkyl groups having at least 4 carbon atoms and alkenyl groups having at least 4 carbon atoms;

- R^2 , which are identical or different, are each chosen from C_4 to C_{42} hydrocarbon-based groups with the proviso that at least 50% of R^2 are chosen from C_{30} to C_{42} hydrocarbon-based groups;

- R^3 , which are identical or different, are each chosen from C_2 to C_{36} hydrocarbon-based groups; and


- R^4 , which are identical or different, are each chosen from hydrogen and C_1 to C_{10} alkyl groups, with the proviso that at least 50% of all R^4 are chosen from hydrogen; and

(ii) at least one oil-soluble cationic surfactant,

and further wherein said at least one structuring polymer and said at least one oil-soluble cationic surfactant are present in a combined amount effective to provide at least one property chosen from resistance to shear and stability.

338. (Previously presented) A make up, care, or treatment composition for the skin or lips comprising a structured composition comprising

- (i) at least one liquid fatty phase in said make up, care, or treatment composition structured with at least one structuring polymer chosen from polyamide polymers of formula (I):



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R^1 , which are identical or different, are each chosen from alkyl groups having at least 4 carbon atoms and alkenyl groups having at least 4 carbon atoms;

- R^2 , which are identical or different, are each chosen from C_4 to C_{42} hydrocarbon-based groups with the proviso that at least 50% of R^2 are chosen from C_{30} to C_{42} hydrocarbon-based groups;

- R^3 , which are identical or different, are each chosen from C_2 to C_{36} hydrocarbon-based groups; and

- R^4 , which are identical or different, are each chosen from hydrogen and C_1 to C_{10} alkyl groups, with the proviso that at least 50% of all R^4 are chosen from hydrogen, and

(ii) at least one oil-soluble cationic surfactant.

339. - 347. (Canceled)

348. (Previously presented) The mascara, eyeliner, foundation, lipstick, blusher, make-up-removing product, make-up product for the body, eyeshadow, face powder, concealer product, nail composition, shampoo, conditioner, anti-sun product or care product for the skin, lips, or hair according to claim 321, wherein the at least one oil-soluble cationic surfactant is lauryl methyl gluceth-10-hydroxypropyl dimmonium chloride.

349. (Previously presented) The make-up and/or care and/or treatment composition according to claim 325, wherein the at least one oil-soluble cationic surfactant is lauryl methyl gluceth-10-hydroxypropyl dimmonium chloride.

350. (Previously presented) The treatment, care or make-up composition according to claim 330, wherein the at least one oil-soluble cationic surfactant is lauryl methyl gluceth-10-hydroxypropyl dimmonium chloride.

351. (Previously presented) The method for care, make up, or treatment according to claim 334, wherein the at least one oil-soluble cationic surfactant is lauryl methyl gluceth-10-hydroxypropyl dimmonium chloride.

352. (Previously presented) The method for making a cosmetic composition according to claim 335, wherein the at least one oil-soluble cationic surfactant is lauryl methyl gluceth-10-hydroxypropyl dimmonium chloride.

353. (Previously presented) The method for providing at least one of resistance to shear and stability to a cosmetic composition according to claim 337, wherein the at

least one oil-soluble cationic surfactant is lauryl methyl gluceth-10-hydroxypropyl dimmonium chloride.

354. (Previously presented) The make up, care, or treatment composition according to claim 338, wherein the at least one oil-soluble cationic surfactant is lauryl methyl gluceth-10-hydroxypropyl dimmonium chloride.

355. (Previously presented) The mascara, eyeliner, foundation, lipstick, blusher, make-up-removing product, make-up product for the body, eyeshadow, face powder, concealer product, nail composition, shampoo, conditioner, anti-sun product or care product for the skin, lips, or hair according to claim 321, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

356. (Previously presented) The make-up and/or care and/or treatment composition according to claim 325, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

357. (Previously presented) The treatment, care or make-up composition according to claim 330, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

358. (Previously presented) The method for care, make up, or treatment according to claim 334, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

359. (Previously presented) The method for making a cosmetic composition according to claim 335, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

360. (Previously presented) The method for providing at least one of resistance to shear and stability to a cosmetic composition according to claim 337, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

362. (Previously presented) The make up, care, or treatment composition according to claim 338, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

363. (Previously presented) The mascara, an eyeliner, a foundation, a lipstick, a blusher, a make-up-removing product, a make-up product for the body, an eyeshadow, a face powder, a concealer product, a nail composition, a shampoo, a conditioner, an anti-sun product or a care product for the skin, lips, or hair according to claim 321, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer dilinoleate copolymer.

364. (Previously presented) The make-up and/or care and/or treatment composition according to claim 325, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer dilinoleate copolymer.

365. (Previously presented) The treatment, care or make-up composition according to claim 330, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer dilinoleate copolymer.

366. (Previously presented) The method for care, make up, or treatment according to claim 334, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer dilinoleate copolymer.

367. (Previously presented) The method for making a cosmetic composition according to claim 335, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer dilinoleate copolymer.

368. (Previously presented) The method for providing at least one of resistance to shear and stability to a cosmetic composition according to claim 337, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer dilinoleate copolymer.

369. (Previously presented) The make up, care, or treatment composition according to claim 338, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer dilinoleate copolymer.